

# Litterature concerning the Tarfala valley and its close surroundings

Compiled by Per Klingbjer

Department of Physical Geography and Quaternary Geology, Stockholm University,  
SE-106 91 Stockholm, Sweden

## New papers 2000–

- Albrecht, O., Jansson, P., and Blatter, H., 2000. Modelling glacier response to measured mass balance forcing. *Ann. Glaciol.* 31: 91–96.
- Etienne, J.L., Glasser, N.F. and Hambrey, M.J., 2003. Proglacial sediment-landform associations of a polythermal glacier: Storglaciären, Northern Sweden. *Geografiska Annaler*, 85A (2): 149–164.
- Glasser, N.F., Hambrey, M.J., Etienne, J.L., Jansson, P. and Pettersson, R., 2003. The origin and significance of debris-charged ridges at the surface of Storglaciären, northern Sweden. *Geografiska Annaler* 85A (2): 127–147.
- Hedfors, J., Peyaud, V., Pohjola, V., Jansson P. and Pettersson, R., 2003. Investigating the ratio of basal drag and driving stress in relation to bedrock topography during a melt season on Storglaciären, Sweden, using force-budget analysis. *Ann. Glaciol.* 37: xx–xx.
- Hock, R., 2003. Temperature index melt modelling in mountain regions. *Journal of Hydrology*. *In press*.
- Hock, R., Jansson, P., and Braun, L., 2003. Modelling the response of mountain glacier discharge to climate warming. In Beniston, M. (Ed.), *Global Change and Mountain Regions. Advances in Global Change Research*. Kluwer, *In press*.
- Hock, R., Johansson, M., Jansson, P., and Barring, L., 2002. Modelling the climate conditions for glacier formation in cirques in Rassepautasjtjåkka massif, northern Sweden. *Arct. Ant. Alp. Res.* 34 (1): 3–11.
- Holmlund, P., 2000. Ghiacciai in Scandinavia - Glaciers in Scandinavia: *Annali di cultura glaciologica*, Anno III, 2000. Servizio Glaciologico Lombardo, Milano, Italien, 160 p, p. 23–32.
- Holmlund, P. and Jansson, P., 2003. *Glaciologi*. ISBN 91–974–541–0–9. Stockholms universitet. Vetenskapsrådet. 176 p.
- Humborg, C., Blomqvist, S., Avsan, E., Bergensund, Y., Smedberg, E., Brink, J. and Mörth, C.-M., 2002. Hydrological alterations with river damming in northern Sweden: Implications for weathering and river biogeochemistry. *Global Biogeochemical Cycles* 16(3) art. no. 1039, 13 pp.
- Isaksen, K., Holmlund, P., Sollid, J.L., Harris, C., 2001. Three deep alpine-permafrost boreholes in Svalbard and Scandinavia. *Permafrost and Periglacial Processes* 12 (1): 13–25.
- Jansson, P., Näslund, J.-O., Pettersson, R., Richardson-Näslund, C., and Holmlund, P., 2000. Polythermal structure and debris entrainment in the terminus of Storglaciären. In: Nakawo, M., Raymond, C. F., and Fountain, A. (eds.): Debris-covered glaciers. Proceedings of a workshop held at Seattle, September 2000. *IAHS Publ.* 264: 143–151.
- Jansson, P. and Fredin, O., 2002. Ice sheet growth under dirty conditions: implications of debris cover for early glaciation advances. *Quat. Int.* 95–96: 35–42.
- Jonsell, U., Hock, R. and Holmgren, B., 2003. Spatial and temporal albedo variations on Storglaciären, Sweden. *Journal of Glaciology* 49(163). *In press*.
- Kaser, G., Fountain, A. and Jansson, P., 2002. *A manual for monitoring the mass balance of mountain glaciers*. UNESCO, International Hydrological Programme. IHP-VI. Technical Documents in Hydrology. No. 59.
- Pettersson, R., Jansson, P., and Holmlund, P. 2003. Cold surface layer thinning on Storglaciären, Sweden, observed by repeated ground penetrating radar surveys. *J. Geophys. Res. – Earth Surface*, 108(x): x–x.
- Nesje, A., Lie, Ø., and Dahl, S. O., 2000. Is the North Atlantic Oscillation reflected in Scandinavian glacier mass balance records? *Journal of Quaternary Science*, v. 15, p. 587–601.
- Schneeberger, C., Albrecht, O., Blatter, H., Wild, M., and Hock, R., 2001. Modelling the response of glaciers to a doubling of CO<sub>2</sub>: a case study on Storglaciären, northern Sweden. *Climate Dyn.* 17 (119): 825–834.
- Schneider, T., 2000. Hydrological processes in the wet-snow zone of glaciers – a review. *Z. Gletscherkd. Glazialgeol.* 36 (1): 89–105.
- Sollid, J.L., Holmlund, P., Isaksen, K. and Harris, C., 2000. Deep permafrost boreholes in western Svalbard, northern Sweden and southern Norway. *Norsk Geogr. Tidsskr.* 54, (4): 186–191.

**Papers published after 1990**

- Albrecht, O., Jansson, P., and Blatter, H., 2000. Modelling glacier response to measured mass balance forcing. *Ann. Glaciol.* 31: 91–96.
- Bodin, A., 1993. *Physical properties of the Kårsa glacier, Swedish Lapland*. Naturgeografiska institutionen vid Stockholms universitet, Forskningsrapport nr , (ISSN 0346-7406), p.
- Braithwaite, R. J. and Zhang, Y., 1999. Modelling changes in glacier mass balance that may occur as a result of climate changes. *Geogr. Ann.* 81A (4): 489–496.
- Braithwaite, R. J. and Zhang, Y., 1999. Relationships between interannual variability of glacier mass balance and climate. *J. Glaciol.* 45 (151): 456–462.
- Bronge, C., 1996. The excavation of the Storglaciären trough during Quaternary. *Geogr. Ann.* 78A (2–3): 163–170.
- Clark, P. U., 1995. News and Views. Fast glacier over slow beds. *Science* 267 (5195): 43–44.
- Criado Hernández, C., 1995. La estación científica del Valle de Tarfala (Laponia sueca). *Alisios, Canary J. Geogr.* (3): 108–113.
- Cutler, P., 1998. Modelling the evolution of subglacial tunnels due to varying water input. *J. Glaciol.* 44 (148): 485–497.
- Dowdeswell, J. A., Hagen, J. O., Björnsson, H., Glazovsky, A. F., Harrison, W. D., Holmlund, P., Jania, J., Koerner, R. M., Lefauconnier, B., Ommanney, C. S. L. and Thomas, R. H., 1997. The mass balance of circum-arctic glaciers and recent climate change. *Quat. Res.* 48: 1–14.
- Dyrgerov, M. and Meier, M., 1999. Analysis of winter and summer glacier mass balances. *Geogr. Ann.* 81A (4): 541–554.
- Eklund, A. and Hart, J. K., 1995. Glaciotektonik deformation within a flute from the Isfallsglaciären, Sweden. *Journal of Quaternary Science* 11(4) 299–310.
- Eriksson, M. G., Björnsson, H., Herzfeld, U. C., and Holmlund, P., 1993. *The bottom topography of Storglaciären. A new map based on old and new ice depth measurements, analyzed with geostatistical methods*. Forskningsrapportserien STOU-NG 95, (ISSN 0346-7406), 48 p.
- Etienne, J.L., Glasser, N.F. and Hambrey, M.J., 2003. Proglacial sediment-landform associations of a polythermal glacier: Storglaciären, Northern Sweden. *Geografiska Annaler*, 85A (2): 149–164.
- Fischer, U. H., Iversson, N. R., Hanson, B., Hooke, R. LeB. and Jansson, P., 1998. Estimation of hydraulic properties of subglacial till from ploughmeter measurements. *J. Glaciol.* 44 (148): 517–522.
- Fleetwood, Å., and Thomas, J., 1990. Weathering and ion flow in Tarfala drainage basin, Lapland, N. Sweden. *Geogr. Ann.* 72A (1): 125–127.
- Fountain, A. G. and Walder, J. S., 1998. Water flow through temperate glaciers. *Rev. Geophys.* 36, 3: 299–328.
- Fountain, A. G., Jansson, P. Kaser, G. and Dyrgerov, M., 1999. Summary of the workshop on methods of mass balance measurements and modelling, Tarfala, Sweden August 10-12, 1998. *Geogr. Ann.* 81A (4): 461–465.
- Fuenzalida, H. and Holmlund, P., 1995. Anomalous responses to 20th century climatic changes in the Darwin Cordillera, southern Chile. *J. Glaciol.* 41 (139): 465–473.
- Glasser, N.F., Hambrey, M.J., Etienne, J.L., Jansson, P. and Pettersson, R. 2003. The origin and significance of debris-charged ridges at the surface of Storglaciären, northern Sweden. *Geografiska Annaler* 85A (2): 127–147.
- Grudd, H., 1990. Small glaciers as sensitive indicators of climatic fluctuations. *Geogr. Ann.* 72A (1): 119–123.
- Grudd, H. and Schneider, T., 1996. Air temperature at Tarfala Research Station 1946-1995. *Geogr. Ann.* 78A (2–3): 115–120.
- Haerberli, W., 1993. *Fluctuation of Glaciers 1985-1990*. A compilation of national reports to “the Permanent Service on the Fluctuations of Glaciers of the IUGG – FAGS/ICSU”, 322 p.
- 1997. *Fluctuation of Glaciers 1990-1995*. A compilation of national reports to “the Permanent Service on the Fluctuations of Glaciers of the IUGG – FAGS/ICSU”, 296 p.
- Haerberli, W., and Herren, E., 1991. *Glacier mass balance bulletin*. A contribution to the Global Environment Monitoring System (GEMS) and the International Hydrological Programme. IAHS(ICSU)-UNEP-UNESCO. Bulletin No. 1 (1988–1989), 70 p.
- 1993. *Glacier mass balance bulletin*. A contribution to the Global Environment Monitoring System (GEMS) and the International Hydrological Programme. IAHS(ICSU)-UNEP-UNESCO. Bulletin No. 2 (1990–1991), 74 p.
- Haerberli, W., Hoelzle, M. and Bösch, H., 1994. *Glacier mass balance bulletin*. A contribution to the Global Environment Monitoring System (GEMS) and the International Hydrological Programme. IAHS(ICSU)-UNEP-UNESCO. Bulletin No. 3 (1992-1993).
- 1997. *Glacier mass balance bulletin*. A contribution to the Global Environment Monitoring System (GEMS) and the International Hydrological Programme. IAHS(ICSU)-UNEP-UNESCO. Bulletin No. 4 (1994-1995).
- Haerberli, W., Hoelzle, M. and Frauenfelder, R., (eds.) 1999. *Glacier mass balance bulletin*. A contribution to the global environment monitoring system (GEMS) and the international hydrological programme (IHP). IAHS (ICSU)-UNEP-UNESCO. Bulletin No.5 (1996–1997).
- Hanson, B., 1995. A fully three-dimensional finite-element model applied to velocities on Storglaciären, Sweden. *J. Glaciol.* 41 (137): 91–102.
- Hanson, B., and Hooke, R. LeB., 1994. Short term velocity variations and basal coupling near a bergschrund, Storglaciären, Sweden. *J. Glaciol.* 40 (134): 67–74.
- Hanson, B., Hooke, R. LeB. and Grace, Jr, E. M., 1998. Short-term velocity and water-pressure variations down-glacier from a riegel, Storglaciären, Sweden. *J. Glaciol.* 44 (147): 359–367.
- Hedfors, J., Peyaud, V., Pohjola, V., Jansson P. and Pettersson, R., 2003. Investigating the ratio of basal drag and driving stress in relation to bedrock topography during a melt season on Storglaciären, Sweden, using force-budget analysis. *Ann. Glaciol* 37:xx–xx.

- Herzfeld, U. C., Eriksson, M. G. and Holmlund, P., 1993. On the Influence of Kriging Parameters on the Cartographic Output—A study in Mapping Subglacial Topography. *Mathematical Geol.* 25 (7): 881–900.
- Hock, R. 1998. *Modelling of glacier melt and discharge 1998*, Zürcher Geographische Schriften, Department of Geography, ETH Zürich. 140 p.
- 1999. A distributed temperature-index ice- and snowmelt model including potential direct solar radiation. *J. Glaciol.* 45(149). 101–111.
- 2003. Temperature index melt modelling in mountain regions. *Journal of Hydrology. In press.*
- Hock, R. and Holmgren, B., 1996. Some aspects of energy balance and ablation of Storglaciären, northern Sweden. *Geogr. Ann.* 78A (2–3): 121–132.
- Hock, R. and Hooke, R. LeB., 1993. Evolution of the internal drainage system in the lower part of the ablation area of Storglaciären, Sweden. *GSA Bull.* 105 (4): 537–546.
- Hock, R. and Jensen, H., 1999. Application of kriging interpolation for glacier massbalance computations. *Geogr. Ann.* 81A (4): 611–619.
- Hock, R. and Noetzli, C., 1997. Areal melt and discharge modelling of Storglaciären, Sweden. *Ann. Glaciol.* 24: 211–216.
- Hock, R., Jansson, P., and Braun, L. 2003. Modelling the response of mountain glacier discharge to climate warming. In Beniston, M. (Ed.), *Global Change and Mountain Regions. Advances in Global Change Research. Kluwer, In press.*
- Hock, R., Johansson, M., Jansson, P., and Barring, L., 2002. Modelling the climate conditions for glacier formation in cirques in Rassepautasjtjåkka massif, northern Sweden. *Arct. Alp. Res.* 34 (1): 3–11.
- Holmlund, P., 1991. Cirques at low altitudes need not necessarily have been cut by small glaciers. *Geogr. Ann.* 73A (1): 9–16.
- 1993. Surveys of Post-Little Ice Age glacier fluctuations in northern Sweden. *Z. Gletscherkd. Glazialgeol.* 29 (1): 1–13.
- 1995. Mass balance studies in northern Sweden. *Z. Gletscherkd. Glazialgeol.* 31: 105–114.
- 1996. Radar measurements of annual snow accumulation rates. *Z. Gletscherkd. Glazialgeol.* 32: 193–196.
- 1996. Maps of Storglaciären and their use in glacier monitoring studies. (incl. 2 maps of the glaciers in the Tarfala valley in the scale 1:10 000). *Geogr. Ann.* 78 A (2–3): 193–196.
- 1997. Climatic influence on the size of glaciers in Northern Sweden during the last two centuries. In Frenzel, B., et al. (eds.) *Glacier fluctuations during the holocene*. ESF project, European paleoclimate and man 16. Paläoklimatforschung band 24, Zürich. 115–124.
- 1998. Glacier mass balance and ice-core records from northern Sweden. *Ambio.* 27(1): 266–269.
- 1999. Tarfalaverksamheten och Storglaciärens massbalans. *Storbreesymposiet, 50 år av massebalansmätningar* (eds. Andreassen, L.M., Østrem, G.), Norges vassdrags- og energidirektorat, Dokument 5 (ISSN 1501–2840): 36–39.
- 2000. Ghiacciai in Scandinavia - Glaciers in Scandinavia: *Annali di cultura glaciologica*, Anno III, 2000. Servizio Glaciologico Lombardo, Milano, Italien, 160 p, p. 23–32.
- Holmlund, P. and Jansson, P., 1999. The Tarfala mass balance program. *Geogr. Ann.* 81A (4): 621–631.
- 2003. *Glaciologi*. ISBN 91–974–541–0–9. Stockholms universitet. Vetenskapsrådet. 176 p.
- Holmlund, P. and Schneider, T., 1997. The effect of continentality on glacier response and mass balance. *Ann. Glaciol.* 24: 272–276.
- Holmlund, P., Burman, H. and Rost, T., 1996. Sediment-mass exchange between turbid meltwater streams and proglacial deposits of Storglaciären. *Ann. Glaciol.* 22: 63–67.
- Holmlund, P., Karlén, W. and Grudd, H., 1996. Fifty years of mass balance and glacier front observations at the Tarfala research station. *Geogr. Ann.* 78(2–3): 105–114.
- Holmlund, P., Näslund, J-O. and Richardson, C., 1996. Radar surveys on Scandinavian glaciers, in search for useful climate archives. *Geogr. Ann.* 78 (2–3): 147–154.
- Hooke, R. LeB., 1991. Positive feedbacks associated with erosion of glacial cirques and overdeepenings. *GSA Bull.* 103: 1104–1108.
- Hooke, R. LeB., Hansson, B., Iverson, N. R., Jansson, P. and Fischer, U. H., 1997. Rheology of till beneath Storglaciären, Sweden. *J. Glaciol.* 43 (143): 172–179.
- Hooke, R. LeB., Laumann, T., and Kohler, J., 1990. Subglacial water pressures and the shape of subglacial conduits. *J. Glaciol.* 36 (122): 67–74.
- Hooke, R. LeB., and Pohjola, V.A., 1994. Hydrology of a segment of a glacier situated in an over-deepening, Storglaciären, Sweden. *J. Glaciol.* 40 (130): 140–148.
- Hooke, R. LeB., Pohjola, V.A., Jansson, P., and Kohler, J., 1992. Intra-seasonal changes in deformation profiles revealed by borehole studies, Storglaciären, Sweden. *J. Glaciol.* 38 (130): 348–358.
- Humborg, C., Blomqvist, S., Avsan, E., Bergensund, Y., Smedberg, E., Brink, J. and Mörth, C.-M., 2002. Hydrological alterations with river damming in northern Sweden: Implications for weathering and river biogeochemistry. *Global Biogeochemical Cycles* 16(3) art. no. 1039, 13 pp..
- Isaksen, K., Holmlund, P., Sollid, J.L., Harris, C., 2001. Three deep alpine-permafrost boreholes in Svalbard and Scandinavia. *Permafrost and Periglacial Processes* 12 (1): 13–25.
- Iverson, N. R., Jansson, P., Hooke, R. LeB., and Hanson, B., 1992. Direct measurements of the shear strength and deformation of till beneath Storglaciären, N. Sweden (Abstract). *EOS, Trans. Am. Geophys. Union* 74 (47): 160.
- Iverson, N. R., Jansson, P., and Hooke, R. LeB., 1994. In-situ measurement of the strength of deforming subglacial till. *J. Glaciol.* 40 (136): 497–503.
- Iverson, N. R., Hanson, B., Hooke, R. LeB., and Jansson, P., 1995. Flow mechanism of glaciers on soft beds. *Science.* 267 (5195): 80–81.
- Iverson, N. R., Hooyer, T. S. and Baker, R. W., 1998. Ring-shear studies of till deformation: Coulumb-plastic behavior and distributed strain in glacier beds. *J. Glaciol.* 44 (148): 31–40.
- Iverson, N. R., Baker, R. W., Hooke, R. LeB., Hansson, B., and Jansson, P., 1999. Coupling between a glacier and a soft bed: I. A relation between effective pressure and local shear stress determined from till elasticity. *J. Glaciol.* 45 (149): 31–40.

- Jahn, A., 1991. Slow soil movement in Tarfala valley, Kebnekaise mountains, Swedish Lapland. *Geogr. Ann.* 73A (2): 93–107.
- Jansson, E. P., 1992. *Interpretation of short-term variations in ice dynamics, Storglaciären, Kebnekaise, Northern Sweden*. Forkningsrapportserien STOU-NG 89, (ISSN 0346-7406), 83 p
- 1995. Water pressure and basal sliding, Storglaciären, Sweden. *J. Glaciol.* 41 (138): 232–240.
- 1996. Dynamics and hydrology of a small polythermal valley glacier. *Geogr. Ann.* 78A (2–3): 171–180.
- 1997. Longitudinal coupling effects in ice flow across a subglacial ridge. *Ann. Glaciol.* 24: 169–174.
- 1999. Effects of uncertainties in measured variables on the calculated mass balance of Storglaciären. *Geogr. Ann.* 81A (4): 633–642.
- Jansson, P. and Fredin, O., 2002. Ice sheet growth under dirty conditions: implications of debris cover for early glaciation advances. *Quat. Int.* 95–96: 35–42
- Jansson, P., Richardsson, C. and Jonsson, S., 1999. Assessment of requirements for cirque formation in northern Sweden. *Ann. Glaciol.* 28: 16–22.
- Jansson, P., Näslund, J.-O., Pettersson, R., Richardson-Näslund, C., and Holmlund, P., 2000. Polythermal structure and debris entrainment in the terminus of Storglaciären. In: Nakawo, M., Raymond, C. F., and Fountain, A. (eds.): Debris-covered glaciers. Proceedings of a workshop held at Seattle, September 2000. *IAHS Publ.* 264: 143–151.
- Jonsell, U., Hock, R. and Holmgren, B., 2003. Spatial and temporal albedo variations on Storglaciären, Sweden. *Journal of Glaciology* 49(163). *In press.*
- Karlen, W., 1998. Climate variations and the enhanced greenhouse effect. *AMBIO.* 27(4): 270–274.
- Kaser, G., Fountain, A. and Jansson, P., 2002. *A manual for monitoring the mass balance of mountain glaciers*. UNESCO, International Hydrological Programme. IHP-VI. Technical Documents in Hydrology. No. 59.
- Kleman, J., 1992. The Palimpsest glacial landscape in northwestern Sweden. -Late Weichselian deglaciation landforms and traces of older west-centered ice sheets. *Geogr. Ann.* 74A (4): 305–325.
- Kohler, J., 1995. Determining the extent of pressurized flow beneath Storglaciären, Sweden, using results of tracer experiments and measurements of input and output discharge. *J. Glaciol.* 41 (138): 217–231.
- Lück, A., 1991. *Untersuchung zur Permafrost-hydrologie, in einem subarktischen Hochgebirgsseinzugsgebiet. Permafrosthydrological Dynamics of a Subarctic High Mountain Catchment Area*. University of Bonn, 97 p.
- Nesje, A., Lie, Ø., and Dahl, S. O., 2000. Is the North Atlantic Oscillation reflected in Scandinavian glacier mass balance records? *Journal of Quaternary Science*, v. 15, p. 587–601.
- Oerlemans, J., Anderson, B., Hubbard, A., Huybrechts, Ph., Johannesson, T., Knap, W. H., Schmeits, M., Stroeven, A. P., van de Wal, R. S. W., Wallinga, J. and Zou, Z., 1998. Modelling the response of glaciers to climate warming. *Climate Dyn.* 14: 267–274.
- Pettersson, R., Jansson, P., and Holmlund, P. 2003. Cold surface layer thinning on Storglaciären, Sweden, observed by repeated ground penetrating radar surveys. *J. Geophys. Res. – Earth Surface*, x (x): x–x.
- Pohjola, V. A., 1993. TV-video observations of bed and basal sliding on Storglaciären, Sweden. *J. Glaciol.* 39 (131): 111–118.
- 1994. TV-video observations of englacial voids in Storglaciären, Sweden. *J. Glaciol.* 40 (135): 231–240.
- 1996. Simulation of particle paths and deformation of ice structures along a flow-line on Storglaciären, Sweden. *Geogr. Ann.* 78A (2–3): 181–192.
- Pohjola, V. A. and Rogers, J. C., 1997. Atmospheric circulation and variations in Scandinavian mass balance. *Quat. Res.* 47(1): 29–36.
- Pohjola, V. A. and Rogers, J. C., 1997. Coupling between the atmospheric circulation and extremes of the mass balance of Storglaciären, northern Scandinavia. *Ann. Glaciol.* 24: 229–233.
- Raper, S. C. B., Briffa, K. R. and Wigley, T. M. L., 1996. Glacier change in northern Sweden from AD 500: a simple geometric model of Storglaciären. *J. Glaciol.* 42 (141): 341–351.
- Richardson, C. and Holmlund, P., 1996. Glacial cirque formation in northern Sweden. *Ann. Glaciol.* 22: 102–106.
- Schneeberger, C. Albrecht, O., Blatter, H., Wild, M., and Hock, R., 2001. Modelling the response of glaciers to a doubling of CO<sub>2</sub>: a case study on Storglaciären, northern Sweden. *Climate Dyn.* 17 (119): 825–834.
- Schneider, C., Parlow, E. and Scherer, D., 1996. GIS-based modelling of the energy balance of Tarfala Valley, Sweden using Landsat-TM data. Parlow, E. (ed.): *Progress in Environmental Research and Applications*, Proceedings of the 15th EARSeL Symposium, Basel 4–6. Sept. 1995, Rotterdam. 401–408.
- Schneider, T., 1994. Water movement and storage in the firn of Storglaciären, northern Sweden. Forkningsrapport STOU-NG 99, (ISSN 0346-7406), 89 p
- 1999. Water movement in the firn of Storglaciären, Sweden. *J. Glaciol.* 45 (150): 286–294.
- 2000. Hydrological processes in the wet-snow zone of glaciers – a review. *Z. Gletscherkd. Glazialgeol.* 36 (1): 89–105.
- Schneider, T., and Bronge, C., 1992. *Suspended sediment transport and discharge of Tarfalajökk, the proglacial stream of Storglaciären, Northern Sweden, 1980–1990*. Forkningsrapportserien STOU-NG 92, (ISSN 0346-7406), 28 p.
- 1996. Suspended sediment transport in the Storglaciären drainage basin. *Geogr. Ann.* 78A (2–3): 155–162.
- Schytt, V., 1993. Glaciers of Europe - Glaciers of Sweden. In: *Satellite image atlas of glaciers of the world* (eds. Williams, R.S. and Ferrigno, J.G.), U.S. Geological Survey professional paper 1386-E, Washington, 1993. E-4: 111–125.
- Skrivastava, H. B., Huddleston, P. and Earley, D., 1995. Strain and possible volume loss in a high-grade ductile shear zone. *J. Struct. Geol.* 17 (9): 1217–1231.
- Sollid, J.L., Holmlund, P., Isaksen, K. and Harris, C., 2000. Deep permafrost boreholes in western Svalbard, northern Sweden and southern Norway. *Norsk Geogr. Tidsskr.* 54, (4): 186–191.
- Stroeven, A.P., 1996. The robustness of one-dimensional, time dependent, ice-flow models: A case study from Storglaciären, northern Sweden. *Geogr. Ann.* 78A (2–3): 133–146.

Stroeven, A.P., and van der Wal, R.S., 1990. A comparison of the mass balances and flows of Rabots glaciär and Storglaciären, Kebnekaise, northern Sweden. *Geogr. Ann.* 72A (1): 113–118.

### Papers published before 1990

Ackert, R., 1984. Ice-cored lateral moraines in Tarfala Valley, Swedish Lapland. *Geogr. Ann.* 66A (1–2): 79–88.

Ahlmann, H. W:son., 1948. *Glaciological Research on the North Atlantic Coasts*. The Royal Geographical Society Research series, 1: 83 p.

—1949. De glaciologiska undersökningarna i Kebnekajse 1946–49. *Svensk geografisk årsbok 1949*. 25: 106–127.

—1951. Scientific investigations in the Kebnekajse Massif, Swedish Lapland. I. General outline of the investigations in 1946–51. *Geografiska Annaler*. 33 (1–2): 90–94.

—1953. *Glacier Variations and Climatic Fluctuations*. Bowman Memorial Lectures, series three. The American Geographical Society, New York 1953, 51p.

Ahlmann, H. W:son. and Droessler E. G., 1949. Glacier ice crystal measurements at Kebnekajse, Sweden. *J. Glaciol.* 1 (5): 268–274.

Andreasson, P.-G., and Gee, D. G., 1989. Bedrock geology and morphology of the Tarfala area, Kebnekaise Mts., Swedish Caledonides. *Geogr. Ann.* 71A (3–4): 235–239.

Bergström, E., 1955. Studies of the variations in size of Swedish glaciers in recent centuries. -*UGGI: IASH Assemblée Generale de Rome 1954* (4): 356–366.

Björnsson, H., 1981. Radio-echo sounding maps of Storglaciären, Isfallsglaciären and Rabots Glaciär, northern Sweden. *Geogr. Ann.* 63A (3–4): 225–231.

Braithwaite, R. J., 1984. Can the mass balance of a glacier be estimated from its equilibrium-line altitude? Short notes. *J. Glaciol.* 30 (106): 364–368.

Brand, G., Pohjola, V., and Hooke, R. LeB., 1987. Evidence for a till layer beneath Storglaciären, Sweden, based on electrical resistivity measurements: *J. Glaciol.* 33 (115): 311–314.

Bronge, C., 1985. *Hydrologisk verksamhet i Tarfala, 1974–1982*. Dept. Physical Geography, University of Stockholm Forskningsrapport 62, (ISSN 0346-7406), 81 p.

Brzozowski, J., and Hooke, R. LeB., 1981. Seasonal variations in surface velocity of the lower part of Storglaciären, Kebnekaise, Sweden. *Geogr. Ann.* 63A (3–4): 233–240.

Cewe, T., and Norrbin, J., 1965. Tarfalajakka; Ladtojajakka och Ladtojaure. Vattenföring, slamtransport och sedimentation. *Ymer* (1–2): 85–111.

Danfors, E., Fleetwood, Å., and Schytt, V., 1962. Application of the neutron scattering method for measuring snow density. *Geogr. Ann.* 44 (3–4): 409–411.

Eckerbom, E. and Palosuo, E., 1963. A study of ice crystals at Storglaciären, Kebnekajse. In: Kingery, W. D. (ed.): *Ice and snow, properties, processes, and applications*. Proc. Conf. Mass. Inst. Tech., M.I.T. Press. 56–62.

Ekman, S.-R., 1961. Thermal Drilling in Isfallsglaciären, Kebnekajse. *Geogr. Ann.* 43 (3–4): 422–423.

Grainger, M. E. and Lister, H., 1966: Wind speed, stability and eddy viscosity over melting ice surfaces. *J. Glaciol.* 6 (43): 101–127.

Grove, J.M., 1988. *The Little Ice Age*, Methuen & Co, London. 498 p.

Günter, R., and Widlewski, D., 1986. Die korrelation verschiedener Klimaelemente mit dem Massenhaushalt alpiner und Skandinavischer Gletscher. *Z. Gletscherkd Glazialgeol.* 22 (2): 125–147.

Haeberli, W., 1985. *Fluctuation of Glaciers 1975–1980*. A compilation of national reports to “The Permanent Service on the Fluctuations of Glaciers of the IUGG – FAGS/ICSU”, 265 p.

—1987. *Fluctuation of Glaciers 1980–1985*. A compilation of national reports to “the Permanent Service on the Fluctuations of Glaciers of the IUGG – FAGS/ICSU”.

Hamberg, A., Rabot, C., and Mercanton, P. L., 1930. *Commission UGGI des glaciers: Rapport pour 1914 – 1928*. Venezia 1930. 1–53.

Herrmann E., 1931. Gletscherstudien im Kebnekaise-Gebiet (Schwed. Lappland). *Z. Gletscherkd.* 19: 263–284.

Hoinkes, H., 1967. Gletscherschwankungen und Wetter in den Alpen. In: Karin Schrom and J. C. Thams (eds.): *Veröffentlichungen der Schweizerischen Meteorologischen Zentralanstalt nr. 4. (Internationale tagung für alpine Meteorologie*. In Brig und Zermatt 14–17 sept 1966. City-druck AG, Zürich. 9–24.

—1968. Glacier variation and weather. *J. Glaciol.* 7 (49): 3–19.

Holmlund, P., 1986. Mikkaglaciären: Bed topography and response to 20th century climate change. *Geogr. Ann.* 68A (4): 291–302.

—1987. Mass balance of Storglaciären during the 20th century. *Geogr. Ann.* 69A (3–4): 439–447.

—1987. *Climatic influence on the shape of glaciers in northern Sweden, 1878–1986*. Dept. Physical Geography, Univ. of Stockholm. Forskningsrapport 65, (ISSN 0346-7406), 14 p.

—1988. An application of two theoretical melt water drainage models on Storglaciären and Mikkaglaciären, Northern Sweden. *Geogr. Ann.* 70A (1–2): 1–7.

—1988. Internal geometry and evolution of moulins, Storglaciären, Sweden. *J. Glaciol.* 34 (117): 242–248.

—1988. Is the longitudinal profile of Storglaciären in balance with the present climate? *J. Glaciol.* 34 (118): 269–273.

Holmlund, P., and Eriksson, M., 1989. The cold surface layer on Storglaciären. *Geogr. Ann.* 71A (3–4): 241–244.

Holmlund, P., and Hooke, R. LeB., 1983. High water-pressure events in moulins, Storglaciären, Sweden. *Geogr. Ann.* 65A (1–2): 19–25.

Hooke, R. LeB., 1984. On the role of mechanical energy in maintaining subglacial water conduits at atmospheric pressure. *J. Glaciol.* 30 (105): 180–187.

Hooke, R. LeB., Brzozowski, J., and Bronge, C., 1983. Seasonal variations in surface velocity, Storglaciären, Sweden. *Geogr. Ann.* 65A (3–4): 263–277.

Hooke, R. LeB., Calla, P., Holmlund, P., Nilsson, M., and Stroeven, A., 1989. A 3 year record of seasonal variations in surface velocity, Storglaciären, Sweden. *J. Glaciol.* 35 (120): 235–247.

Hooke, R. LeB., Gould, J. E., and Brzozowski, J., 1983. Near-surface temperatures near and below the equilibrium line on polar and subpolar glaciers. *Z. Gletscherkd. Glazialgeol.* 19 (1): 1–25.

- Hooke, R. LeB., and Iverson, N., 1985. Experimental study of ice flow around a bump, comparison with theory. *Geogr. Ann.* 67A (3–4): 187–197.
- Hooke, R. LeB., Holmlund, P., and Iverson, N. R., 1987. Extrusion flow demonstrated by borehole deformation measurements over a riegel, Storglaciären, Sweden. *J. Glaciol.* 33 (113): 72–78.
- Hooke, R. LeB., Miller, S. B., and Kohler, J., 1988. Character of the englacial and subglacial drainage system in the upper part of the ablation area of Storglaciären, Sweden. *J. Glaciol.* 34 (117): 228–231.
- Hoppe, G., 1960. Glacial morphology and inland ice recession in Northern Sweden. *Geogr. Ann.* 41: 193–212.
- 1961. Naturgeografisk fältstation i Kebnekaise. *Svensk Geografisk Årsbok* 37: 224–225.
- 1963. I den stora landisens spår: terrängformer i Lappland. *Natur i Lappland* 1: 130–144.
- 1969. Norrlandsälvarnas naturvärden. Värdegraderad bedömning av Torne, kalix, Pite älvars samt Vindelälvens betydelse för forskning och turism. *Statens naturvårdsverk*. Del II av PU 20.11.1969: 3–27.
- Hoppe, G., 1983. *Fjällens terrängformer. Landforms of the Swedish mountain area. En översikt av den svenska fjällkedjan på grundval av geomorfologisk kartering och naturvärdering*. Statens naturvårdsverk (ISBN 91-38-08003-6), 59 p.
- 1987. Till minne av Valter Schytt (1919–1985). In: Hoppe, G., Björn-Rasmusen, S. and Wiberg, M. (eds.): *Expeditionen Ymer-80 – en slutrapport*. Kungliga Vetenskapsakademien, Polarforskningskommittén, Stockholm (ISBN 91-7190-015-2), 16–18.
- 1988. The general and the specific view in geography. In: Hägerstrand, T. and Buttner, A. (eds.) *Geographers of Norden. Lund Studies in Geography B* 52: 83–94.
- Hoppe, G., and Ekman, S.-R., 1964. A note on the alluvial fans of Ladstjovagge, Swedish Lapland. *Geogr. Ann.* 46 (3): 338–342.
- Hoppe, G., and Schytt, V., 1953. Some observations on fluted moraine surfaces. *Geogr. Ann.* 35 (2): 105–115.
- Hoppe, G., Schytt, V., and Strömberg, B., 1965. Från fält och forskning Naturgeografi vid Stockholms Universitet. *Ymer* (3–4): 109–125.
- Huddleston, P. J., 1989. The association of folds and veins in shear zones. *J. Struct. Geol.* 11 (8): 949–957.
- Håkansson, T., 1955. Anteckningar om flora och vegetation i Kebnekajseområdet. *Botaniska notiser* 108 (2):
- Jahn, A., 1984. Periglacial talus slopes. Geomorphological studies on Spitsbergen and in Northern Scandinavia. *Polar Geogr. Geol.* 8 (3): 177–193.
- Jansson, P., and Hooke, R. LeB., 1989. Short-term variations in strain and surface tilt on Storglaciären, Kebnekaise, northern Sweden. *J. Glaciol.* 35 (120): 201–208.
- Johansson, H. F., 1951. Scientific investigations in the Kebnekajse Massif, Swedish Lapland. II. The petrology and tectonics of the Kebnekajse region and their morphological importance. *Geogr. Ann.* 33 (1–2): 95–120.
- Jonsson, S., 1970. Structural studies of subpolar glacier ice. *Geogr. Ann.* 52A (2): 129–145.
- 1973. Registration of a sudden vertical displacement of the ice surface of Isfallsglaciären, Northern Sweden. *Geogr. Ann.* 55A (1): 64–68.
- Karlen, W., 1973. Holocene glacier and climatic variations, Kebnekaise mountains, Swedish Lapland. *Geogr. Ann.* 55A (1): 29–63.
- 1975. *Lichenometrisk datering i norra Skandinavien – metodens tillförlitlighet och regionala tillämpning*. Naturgeografiska institutionen, Stockholms univ. Forskningsrapport 22, (ISSN 0346-7406), 67 p.
- 1976. *Holocene climatic fluctuations indicated by glacier and tree-limit variations in northern Sweden*. Naturgeografiska institutionen, Stockholms univ. Forskningsrapport 23, 7 p.
- 1984. Dendrochronology, mass balance and glacier front fluctuations in northern Sweden. In: Mörner, N.-A. and Karlén, W., (eds.). *Climatic Changes on a Yearly to Millennial Basis*. Reidel Publishing Company, 263–271. Meddelande från Naturgeografiska institutionen vid Stockholms universitet, No 169.
- Karlen, W., and Denton, G. H., 1975. Holocene glacial variations in Sarek National Park, northern Sweden. *Boreas* 5: 25–56.
- Kasser, P., 1967. *Fluctuations of glaciers 1959–1965*. A contribution to the International Hydrological Decade. IASH (ICSU) UNESCO, 52 p.
- 1973. *Fluctuation of Glaciers 1965–1970*. A compilation of national reports to “The Permanent Service on the Fluctuations of Glaciers of the IUGG – FAGS/ICSU”, 357 p.
- King, L., 1976. Permafrostuntersuchungen in Tarfala (Schwedisch Lappland) mit Hilfe der Hammerschlagseismik. *Z. Gletscherkd. Glazialgeol.* 12 (2): 187–204.
- 1982. Qualitative and quantitative Erfassung von Permafrost in Tarfala (Schwedisch-Lappland) und Jotunheimen (Norwegen) mit Hilfe geoelektrischer Sondierungen. *Z. Geomorphol.* 43: 139–160.
- 1984. *Permafrost in Scandinavia. Permafrost in Skandinavien. Untersuchungsergebnisse aus Lappland, Jotunheimen und Dovre/Rondane*. Heidelberg 1984. 174 p.
- 1986. Zonation and ecology of high mountain permafrost in Scandinavia. *Geogr. Ann.* 68A (3): 131–139.
- Kulling, O., 1964. *Översikt över norra Norrbottens-fjällens kaledonberggrund*. Sveriges geologiska undersökning (SGU), Ba 19: 166 p.
- Mannerfelt, C. M:son., 1939. Geografiska bilder. *Ymer* 59: 162–166.
- 1940. Storglaciärens tillbakagång i Kebnekaise. *Ymer* 60(1): 60–61.
- Melander, O., 1975. *Geomorfologiska kartbladet, 29 I Kebnekaise. Beskrivning och naturvärdesbedömning*. SNV PM 540. 78 p.
- Müller, F., 1977. *Fluctuation of Glaciers 1970–1975*. A compilation of national reports to “The Permanent Service on the Fluctuations of Glaciers of the IUGG – FAGS/ICSU”, 269 p.
- Nilsson, J., and Sunblad, B., 1975. The internal drainage of Storglaciären and Isfallsglaciären described by an autoregressive model. *Geogr. Ann.* 57A (1–2): 73–98.
- Nye, J. F., 1965. The frequency response of glaciers. *J. Glaciol.* 5 (41): 567–587.
- Nye, J. F., 1965. A numerical method of inferring the budget history of a glacier from its advance and retreat. *J. Glaciol.* 5 (41): 589–607
- Quensel, P., 1919. De kristallina sevebergarternas geologiska och petrografiska ställning inom Kebnekajseområdet. *GFF* 41:

- Radok, U., 1980. Climatic background to some glacier fluctuations. World Glacier Inventory. Proceedings of the Riederalp Workshop, September 1978. *IAHS-AISH Publ.* 126: 295–304.
- Rafstedt, T., 1983. *Vegetationskarta över de svenska fjällen. Kartblad nr 5 Kebnekaise (29 J)*. Naturgeogr. inst. Stockholms univ.
- Rapp, A., 1959. Avalanche Boulder Tongues in Lappland. *Geogr. Ann.* 41 (1): 34–48.
- Reynaud, L., Vallon, M., Martin, S., and Letreguilly, A., 1984. Spatio temporal distribution of the glacial mass balance in the Alpine, Scandinavian and Tien Shan areas. *Geogr. Ann.* 66A (3): 239–247.
- Rosqvist, G., and Östrem, G., 1989. The sensitivity of a small ice cap to climatic fluctuations. *Geogr. Ann.* 71A (1–2): 99–104.
- Schytt, V., 1947. Glaciologiska arbeten i Kebnekajse. *Ymer* 67 (1): 18–42.
- 1949. Re-freezing of meltwater on the surface of glacier ice. *Geogr. Ann.* 31 (1–4): 222–227.
- 1959. The Glaciers of the Kebnekajse-Massif. *Geogr. Ann.* 41 (4): 213–227.
- 1960. Regime studies on Storglaciären, Kebnekajse during 1960. *Geogr. Ann.* 42 (1): 62–63.
- 1961. Notes on Glaciological activities in Kebnekajse, Sweden. Regime studies on Storglaciären, Kebnekajse, during 1961. *Geogr. Ann.* 43 (3–4): 420–421
- 1962. Naturgeografisk fältstation i Kebnekajse. *Svensk Naturvetenskap*, 332–345.
- 1962. Mass balance studies in Kebnekajse. *J. Glaciol.* 4 (33): 281–286.
- 1962. Mass balance studies on Storglaciären during 1962. *Geogr. Ann.* 44 (3–4): 407–409.
- 1962. A tunnel along the bottom of Isfallsglaciären. *Geogr. Ann.* 44 (3–4): 411–412.
- 1963. Fluted moraine surfaces. *J. Glaciol.* 4 (36): 825–827.
- 1965. Notes on glaciological activities in Kebnekaise, Sweden during 1964. *Geogr. Ann.* 47A (1): 65–71.
- 1966. Notes on glaciological activities in Kebnekaise, Sweden-1965. *Geogr. Ann.* 48A (1): 43–50.
- 1967. A study of "Ablation Gradient". *Geogr. Ann.* 49A (2–4): 327–332.
- 1968. Notes on glaciological activities in Kebnekaise, Sweden during 1966 and 1967. *Geogr. Ann.* 50A (2): 111–120.
- 1968. *Tarfalajäkkas vattenföring och slamtransport 1966–1967*. Naturgeografiska inst. Stockholms universitet. Forskningsrapportserien STOU-NG 3 (ISSN 0346-7406), 24 p.
- 1970. De svenska glaciärernas vittnesbörd. In: Ahlmann m fl. Klimatologiska förändringar omkring Nordatlanten under gammal och nyare tid. *Ymer* 90: 241–242.
- 1973. Snow densities on Storglaciären in Spring and summer. *Geogr. Ann.* 54A (3–4): 155–158.
- 1973. *Tarfala och dess forskningsverksamhet*. Information 1, STOU-NG, Naturgeografiska inst. Stockholms universitet. 2:a uppl. 1975, 3:e uppl. 1978. 27 p.
- 1973. *Hydrologisk aktivitet inom undersökningsområdet Tarfala*, (ur *Vannet i Norden* nr 1, s 12–29). Information 2, STOU-NG, Naturgeogr. inst., Stockholms universitet. 18 p.
- 1979. *Tarfala and its research activities*. Naturgeografiska institutionen Stockholms universitet. Forskningsrapport STOU-NG 34 (ISSN 0346-7406), 31 p.
- 1981. The net mass balance of Storglaciären related to the height of the equilibrium line and to the height of the 500 mb surface. *Geogr. Ann.* 63A (3–4): 219–223
- 1985. Glaciologi. *Kosmos* 62: 109–124.
- Schytt, V., Jonsson, S., and Cederstrand, P., 1963. Notes on glaciological activities in Kebnekaise, Sweden – 1963. *Geogr. Ann.* 45 (4): 292–302.
- Seaberg, S. Z., Seaberg, J. Z., Hooke, R. LeB., and Wiberg, D., 1988. Character of the englacial and subglacial drainage system in the lower part of the ablation area of Storglaciären, Sweden, as revealed by dye trace studies: *J. Glaciol.* 34 (117): 217–227.
- Seppälä, M., (et al), 1989. Glaciological course in Tarfala. *Terra* 101 (3): 252–274.
- Smith, I. N. and Budd, W. F., 1979. The derivation of past climate changes from observed changes of glaciers. *Sea level, Ice, and Climatic Change (proceedings of the Canbverra Symposium, Dec. 1979)*. *IAHS* 131: 31–52.
- Stenborg, T., 1965. Problems concerning winter run-off from glaciers. *Geogr. Ann.* 47A (3): 141–184.
- 1969. Studies of the internal drainage of glaciers. *Geogr. Ann.* 51A (1–2): 13–41.
- 1973. Some viewpoints on the internal drainage of glaciers. Symposium on the Hydrology of Glaciers. Cambridge, 7–13 September 1969, organized by the Glaciological society. *Publication no. 95*. 1973, 117–130.
- Stork, A., 1963. Plant Immigration in front of Retreating Glaciers, with examples from the Kebnekajse Area, Northern Sweden. *Geogr. Ann.* 45 (1): 1–22.
- 1963. Några bidrag till kännedomen om Kebnekajse-områdets kryptogamflora. *Botaniska notiser* 116 (1): 11–15.
- Stroeve, A.P., and van der Wal, R.S., 1987. *Mass balance and flow of Rabots glaciär; A comparison with Storglaciären*. Dept. Physical Geography, University of Stockholm. Forskningsrapport 64, (ISSN 0346-7406), 99 p.
- Svenonius F., 1910. *Die gletscher Schwedens im Jahre 1908*. Sveriges Geologiska Undersökningar (SGU) serie Ca 5 part I: 1–54.
- Vilborg, L., 1977. The cirque forms of Swedish Lapland. *Geogr. Ann.* 59A (3–4): 89–150.
- Walford, M. E. R., and Kennett, M. I., 1989. A synthetic-aperture radio-echo experiment at Storglaciären, Sweden. *J. Glaciol.* 35 (119): 43–47.
- Walford, M., Kennett, M. I., and Holmlund, P., 1986. Interpretation of radio echoes from Storglaciären, northern Sweden. *J. Glaciol.* 32 (110): 39–49.
- Woxnerud, E., 1951. Scientific investigations in the Kebnekajse Massif, Swedish Lappland. III. Kartografiska arbeten i Kebnekajse. IV. Det lokala triangelnätets i Kebnekajse anslutning till riksnätet. Syd- och nordtopparnas höjd över havet. *Geogr. Ann.* 33 (3–4): 121–143.
- Åmark, M., 1980. Glacial flutes at Isfallsglaciären, Tarfala, Swedish Lapland. *GFF* 102 (3): 251–259.

- Östling, M., and Hooke, R. LeB., 1986. Water storage in Storglaciären, Kebnekaise, Sweden. *Geogr. Ann.* 68A (4): 279–290.
- Östrem, G., 1959. Ice melting under a thin layer of moraine, and the existence of ice cores in moraine ridges. *Geogr. Ann.* 41: 228–230.
- 1961. A new approach to end moraine chronology. *Geogr. Ann.* 43 (3–4): 418–419.
- 1962. Nya metoder för åldersbestämning av ändmoräner. *Ymer* 82: 241–252.
- 1962. *Ice-cored moraines in Kebnekajse area*. Meddelande från Geografiska institutionen Stockholms universitet. 154 p
- 1963. Comparative Crystallographic Studies on Ice from Ice-cored Moraines, Snow-banks and Glaciers. *Geogr. Ann.* 45 (4): 210–242.
- 1964. Ice-cored Moraines in Scandinavia. *Geogr. Ann.* 46 (3): 282–337.
- 1965. Problems of dating ice-cored moraines. *Geogr. Ann.* 47A (2): 1–38.
- Östrem, G., Haakensen, N., and Melander, O., 1973. *Atlas over breer i Nord-Skandinavia*. Meddelande nr 46 från Naturgeografiska inst. Stockholms univ. 315 p.
- Doctor of Philosophy dissertations**
- Albrecht, O., 1999. *Dynamics of glaciers and ice sheets: a numerical model study*. PhD dissertation, no 13278, ETH Zürich, Switzerland.
- Bronge, C., 1989. *Climatic Aspects of Hydrology and Lake Sediments with Examples from Northern Scandinavia and Antarctica*. Naturgeografiska institutionen vid Stockholms universitet, Meddelande nr A 241 (ISBN 91-7146-785-8), 166 p.
- Brugger, K., 1992. *A comparative study of the response of Rabots Glaciär and Storglaciären to recent climate change in Sweden*, PhD dissertation, Department of Geology and Geophysics, University of Minnesota, USA. 287 p.
- Cutler, P. M., 1996. *Water input and subglacial tunnel evolution at Storglaciären, northern Sweden*. PhD dissertation, Department of Geology and Geophysics, University of Minnesota, xx pp.
- Hauck, C., 2001. *Geophysical methods for detecting permafrost in high mountains*. PhD dissertation. Mitteilungen 171. VAW, ETH Zürich. Switzerland. 204 p.
- Hock, R., 1998. *Modelling of glacier melt and discharge*. PhD dissertation, no 12430, Department of Geography, ETH Zürich, Switzerland. 126 p.
- Holmlund, P., 1988. *Studies of the drainage and the response to climatic change of Mikkglaciären and Storglaciären*. Department of Physical Geography, Stockholm university. Meddelande nr A 220 (ISSN 0348-9264). PhD dissertation (ISBN 91-7146-590-1), 75 p.
- Isaksen, K., 2001. *Past and present ground thermal regime, distribution and creep of permafrost - case studies in Svalbard, Sweden and Norway*. Series of dissertations submitted to the Faculty of Mathematics and Natural Sciences, University of Oslo, No 144 (ISSN 1501-7710), Unipub forlag, Oslo, 2001.
- Jansson, P., 1993. *Interpretation of short-term variations in ice dynamics, Storglaciären, Kebnekaise, Northern Sweden*. PhD dissertation, Department of Geology and Geophysics University of Minnesota, USA,
- Jansson, P., 1994. *Studies of short-term variations in ice dynamics, Storglaciären, northern Sweden*. Department of Physical Geography, Stockholm university, Dissertation series (ISSN 1104-7208), Dissertation no.1 (ISBN 91-7153-247-1).
- Jonsson, S., 1970. *Strukturstudier av subpolär glaciäris från Kebnekaiseområdet*. Department of Physical Geography, Stockholm university, Research report 8, (ISSN 0346-7406). 200 p.
- Karlén, W., 1976. *Holocene climatic fluctuations indicated by glacier and tree-limit variations in northern Sweden*. Department of Physical Geography, Stockholm university. Research Report 23, (ISSN 0346-7406).
- Kennett, M., 1987. *An analysis of the scattering of radio waves within a temperate glacier*. Department of Physics, University of Bristol. 176 p.
- Kneisel, C., 1999. *Permafrost in Gletschervorfeldern: Eine vergleichende Untersuchung in den Ostschweizer Alpen und Nordschweden*. PhD dissertation. Trier Geographische Studien 22. University of Trier, Germany. 156 p.
- Kohler, J. C., 1992. *Glacial hydrology of Storglaciären, Northern Sweden*. PhD dissertation, Department of Geology and Geophysics, University of Minnesota, USA, 147 p.
- Østrem, G., 1965. *Studies of Ice-cored moraines*. Department of Physical Geography, Stockholm university, Esselte AB, Stockholm 1965.
- Pohjola, V. A., 1993. *Ice Dynamical Studies on Storglaciären, Sweden. A study based on TV-video observations of englacial Structures and deformation measurements within boreholes*. Institutionen för geovetenskap vid Uppsala universitet. Acta universitatis Upsaliensis, Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science 470 (ISBN 91-554-3173-9).
- Rapp, A., 1961. *Studies of the postglacial development of mountain slopes*. Geografiska institutionen vid Uppsala universitet. meddelande nr 159.
- Richardson-Näslund, C., 2001. *Spatial distribution of snow in Antarctica and other glacier studies using ground-penetration radar*. Department of Physical Geography and Quaternary Geology, Stockholm university, Dissertation series (ISSN 1650-4992), Dissertation no.18 (ISBN 91-7265-265-9).
- Schneider, T., 2001. *Hydrological processes in firn on Storglaciären, Sweden*. Department of Physical Geography and Quaternary Geology, Stockholm university, Dissertation series (ISSN 1650-4992), Dissertation no.19 (ISBN 91-7265-264-0).
- Stenberg, M. M., 2000. *Spatial variability and temporal changes in snow chemistry, Dronning Maud Land, Antarctica*. Department of Physical Geography, Stockholm university, Dissertation series (ISSN 1104-7208), Dissertation no.15 (ISBN 91-7265-075-3).
- Stenberg, T., 1970. *Studies of the hydrological characteristics of glaciers*. Meddelanden från Uppsala universitets geografiska institutioner. Ser. A 245.



## Filosofie licentiat avhandlingar, Master of Science dissertations or equivalent work, after 1980

- Bronge, C., 1985. *Hydrologisk verksamhet i Tarfala, 1974 - 1982. En analys av bearbetningsmetoder och resultat*. Naturgeografiska institutionen, Stockholms universitet. Forskningsrapportserien STOU-NG 62, (ISSN 0346-7406), 81 p
- Goerke, U., 1993. *Geologische untersuchungen im südlichen Kebnekaise-gebiet, Tarfala, in den Skandinavischen Kaledoniden, Nordschweden*. Diplomarbeit, Department of Geology/Paleontology, Ruprecht-Karls University, Heidelberg, Germany.
- Hedfors, J., 2002. *Investigations of ice flow in polar regions*. Licentiate thesis. Department of Earth Sciences. Uppsala University. 97 p.
- Hock, R., 1991. *Aspects of the internal drainage system of Storglaciären, Sweden, as indicated by dye-trace studies*. Diplomarbeit at the Department of Physical Geography, University of Freiburg, Germany.
- Iseppi, M., 2002. *Zür dynamik des polythermen Storglaciären, Schweden*. Diplomarbeit D-PHYS, ETH, Zürich, Switzerland.
- Jansson, E. P., 1992. *Interpretation of short-term variations in ice-dynamics, Storglaciären, Kebnekaise, northern Sweden*. NGSU Research Report 89.
- Klingbjer, P., 2001. *Paleoklimat och recenta glaciärer i norra Skandinavien*. Licentiatavhandling. Institutionen för naturgeografi och kvartärgeologi. Stockholms universitet. 16 p.
- Krüger, G., 1985. *Aktuelle Schneefleckenformung in den Skanden am beispiel des Kebnekaise (67° 55' N, 10° 32' E), Nord-Lappland*. Diplomarbeit im Fach Geographie der mathematisch-naturwissenschaftlichen Fachbereiche der Georg August Universität, Göttingen. 55 p.
- Kuriger, E. M., 2002. *Analysis of structural features in the context of measured strain-rates, Storglaciären, Sweden*. Diploma Thesis, Institute for Atmospheric and Climate Science. Swiss Federal Institute of Technology (ETH), Zürich, Switzerland. 47 p.
- Noetzli, C., 1996. *Modellierung des Abflusses am Storglaciären (Nordschweden) mit einem linearspeichermodell*. Diplomarbeit am Geographischen institut der ETH-Zürich. 108 p.
- Richardson, C., 1996. *Klimatinriktade georadarstudier på glaciärer i svenska fjällen och på den antarktiska inlandsisen*. Naturgeografiska institutionen, Stockholms universitet.
- Rosquist, G., 1989. *Studies of glacier fluctuations and climatic change*. Naturgeografiska institutionen vid Stockholms universitet.
- Schneeberger, C., 1998. *Glacier balance modeling using a GCM*. Diploma Thesis, Institute of Geography. Swiss Federal Institute of Technology (ETH), Zürich, Switzerland. 56 p.
- Schneider, C., 1992. *GIS based modelling of the energy balance from Landsat-TM*. Diplomarbeit at the Department of Physical Geography, University of Freiburg, Germany.
- Schneider, T., 1994. *Water movement and storage in the firn of Storglaciären, northern Sweden*. Diplomarbeit at the Department of Physical Geography, University of Freiburg, Germany. 74 p.
- Schneider, T., 1998. *Hydrological processes in the firn of Storglaciären*. Naturgeografiska institutionen vid Stockholms Universitet.
- Shimko, K. A., 1987. *A study on structures in two valley glaciers in northern Sweden by observation and computer modelling*. MS diss., Department of Geology and Geophysics, University of Minnesota, USA,
- Zimmerer, S., 1987. *A study of the englacial and subglacial hydrology of Storglaciären, northern Sweden*. MS diss., Department of Geology and Geophysics, University of Minnesota, USA,

## Undergraduate papers (examensarbeten), after 1980

- Bodin, A., 1991. *Kårsaglaciärens reträtt under 1900-talet*. Naturgeografiska institutionen, Stockholms universitet. 24 p.
- Bomark, M., och Lundberg, C., 1995. *GPS-mätning i Tarfala 1994. Stomnät, metodförsök, amnslutning till RR92*. Institutionen för Geodesi och Fotogrammetri, Kungliga Tekniska Högskolan, Stockholm. Examensarbete i Geodesi. 49 p.
- Burman, H., och Rost, T., 1991. *Uppmätning av erosion och sedimentation i Tarfaladalen med analytisk fotogrammetri*. Institutionen för fotogrammetri, Kungl Tekniska Högskolan, Stockholm. Examensarbete i fotogrammetri nr 95, 37 p.
- Calla, P., 1988. *Datering av snökärnor borrade på Grönlands inlandsis*. Naturgeografiska institutionen, Uppsala universitet. 24 p.
- Eriksson, M., 1990. *Storglaciärens bottenpografi uppmätt genom radioekosondring*. Naturgeografiska institutionen, Stockholms universitet. 28 p.
- Finnander, M.-L., 1989. *Vädrets betydelse för snöavsmältningen i Tarfaladalen*. Naturgeografiska institutionen, Lunds universitet. 41 p.
- Fredin, O., 1997. *Kortidsvariationer i isrörelse på Storglaciären*. Naturgeografiska institutionen, Stockholms universitet. 43 p.
- Frisk, A. and Ståhl, L., 1985. *Kalibrering av mätträna i Tarfala*. Kungliga Tekniska Högskolan, 42 p
- Frödin, S. 2000. *Spårämnesförsök i ackumulationsområdet på Storglaciären i en beräkning av smältvattnets flödesväg och hastighet*. Naturgeografiska institutionen, Stockholms Universitet. 64 p.
- Hedin, M., 1984: *Tarfalavagge - former och deglaciation*. Naturgeografiska institutionen, Stockholms universitet. 31 p.
- Hieltala, M., 1989. *En utvärdering av areella nederbördsmetoder och mätarplaceringar i Tarfaladalen*. Naturgeografiska institutionen, Stockholms universitet. 41 p.
- Holmberg, P., 2002. *Glacier mass balances in the Arctic and their relation to climate*. Department of Meteorology. Stockholm University. 28 p.
- Holmlund, P., 1982: *Glaciärbrunnars genes och morfologi*. Naturgeografiska institutionen, Stockholms universitet. 41 p.
- Huss, E., 1997. *Glaciärfrontsreträtter under 1900-talet - en detaljstudie av Räitaglaciärerna, norra Lappland*. Naturgeografiska institutionen, Stockholms universitet. 73 p.

- Jansson, P., 1986. *Variations in surface tilt on Storglaciären, Kebnekaise, Northern Sweden*. Naturgeografiska institutionen, Stockholms universitet. 16 p.
- Johansson, M., 2000. *Climate conditions required for reglaciation of cirques in Rassepautasijäkka massif, northern Sweden*. Examensarbete vid Naturgeografiska Institutionen, Lunds Universitet. Seminarieuppsats NR. 66, 47 s.
- Jonsell, U., 2000. *Temporal and spatial variations in albedo on a valley glacier*. Naturgeografiska Institution, Uppsala universitet.
- Jonson, K., 2000. *Hydrologisk modellering i ett glacialt präglat avrinningsområde, Tarfaladalen, norra Sverige*. Naturgeografiska institutionen, Stockholms universitet.
- Karlöf, L., 1997. *Densitetsutvecklingen i snö och firn på Storglaciären under ett massbalansår kopplat till vådrets förändringar*. Naturgeografiska institutionen, Stockholms universitet.
- Kjessel, R., 1986. *Blöta lössnölaviner och slasklaviner*. Naturgeografiska institutionen, Stockholms universitet. 56 p.
- Klingbjer, P., 1996. *Jökellopp vid Sälka*. Naturgeografiska institutionen, Stockholms universitet. 56 p.
- Kramer, Y., 2001. *Investigation on surface energy fluxes and their relationship to synoptic weather patterns on Storglaciären, northern Sweden*. Naturgeografiska Institution, Uppsala universitet.
- Lind, L., 1982. *Studier av basal isrörelse på Isfalls-glaciären, Kebnekaise, 1980-1981*. Naturgeografiska institutionen, Lunds universitet. 47 p.
- Lindstrand, O., 1986. *Sediment från Storglaciären, Kebnekaise. En kvalitativ bestämning*. Geologiska institutionen, Göteborgs universitet. 35 p.
- Moberg, A., 1984. *Massbalansundersökningar på Björlings glaciär, Kebnekaise, 1983*. Naturgeografiska institutionen, Stockholms universitet. 24 p.
- Neidhart, F., 1997. *Die kartierung des Parteglaciären und die analyse seine veränderung von 1963 bis 1996*. Fachhochschule Stuttgart – Hochschule für technik. Germany.
- Näslund, J.-O., 1989. *En studie av proglaciala lakustrina sediment från Valfojaure, norra Sverige*. Naturgeografiska institutionen, Stockholms universitet. 14 p.
- Orbring, L., 2000. *Frontvariationer hos isfallsglaciären under 1900-talet*. Naturgeografiska institutionen, Stockholms universitet. 67 p.
- Pettersson, R., 1996. *Studier av isstrukturer och deras koppling till klimatet på två subpolära glaciärer i Kebnekaise*. Naturgeografiska institutionen, Stockholms universitet. 47 p.
- Pohjola, V., 1986. *Mätningar av hastighetsfördelningar, längs en profil i Storglaciären, Kebnekaise, 1985*. Naturgeografiska institutionen, Uppsala universitet. 34 p.
- Richardson, C., 1993. *Nischbildningsprocesser – En fältstudie vid Passglaciären, Kebnekaise*. Naturgeografiska institutionen, Lunds universitet, Seminarieuppsats nr 30, 58 p.
- Schneider, T., 1992. *Suspended sediment transport in the proglacial stream of Storglaciären, northern Sweden, 1980–1990*. Avdelningen för hydrologi, Uppsala universitet, C-uppsats, 27 p.
- Strömberg, K., 1987. *Vattentillskott till Storglaciären från snösmältning på omgivande dalsidor*. Naturgeografiska institutionen, Göteborgs universitet.
- Thillman, T., 2003. *Geochemical characteristics of proglacial meltwater from Storglaciären, Kebnekaise massif, Sweden*. Institutionen för Geologi och Geokemi, Stockholms Universitet. 32 p.
- Troëng, S., 1993. *Glacialmorfologiska studier vid Partejekna, Sarek – en jämförelse mellan två frontområden*. Naturgeografiska institutionen, Stockholms universitet. 27 p.
- Wennberg, S., 1986. *Nederbördsräkning i Tarfaladalen – extremvärden och nederbördsfördelning*. Naturgeografiska institutionen, Stockholms universitet. 38 p.
- Östling, M., 1986. *Vattenbalansen i Storglaciären*. Naturgeografiska institutionen, Stockholms universitet. 31 p.

### Compilations of data from Tarfala (Available at the department)

- Bergman, V., 1988. *Sommarnederbörd vid Tarfalastationen och i dess omgivning 1965–1984*. 39 p.
- Grudd, H., and Jansson, P., 1986. *The 1984/85 mass balance of Storglaciären, Kebnekaise, Swedish Lappland*. 13p.
- Årsrapport från Tarfala forskningsstation, 1986. Peter Jansson (ed.), 95 p.
- Årsrapport 1987. Tarfala Research Station. Gunhild Rosqvist (ed.), 103 p.
- Årsrapport 1988. Tarfala Research Station. Arjen Stroeven (ed.), 85 p.
- Årsrapport 1989. Tarfala Research Station. Arjen Stroeven and Mats Eriksson (eds). 76 p.
- Årsrapport 1990. Tarfala Reserach station. Håkan Grudd and Axel Bodin (eds.), 96 p.
- Årsrapport 1990–1991. Tarfala research station. Håkan Grudd (ed.), Forskningsrapport STOU-NG 92 73 p.
- Årsrapport 1991–1992. Tarfala research station. Axel Bodin (ed.), Forskningsrapport STOU-NG 96 64 p.
- Tarfala Research Station Annual Report, 1992–93. Peter Jansson, (ed.), NGSU Forskningsrapport 100. 50 p.
- Tarfala Research Station Annual Report, 1993–94. Peter Jansson, (ed.), NGSU Forskningsrapport 102. 66 p.
- Tarfala Research Station Annual Report, 1994–95. Peter Jansson, (ed.), NGSU Forskningsrapport 103. 66 p.
- Tarfala Research Station Annual Report, 1995–96. Per Klingbjer, (ed.), NGSU Forskningsrapport 104. 76 p.
- Tarfala Research Station Annual Report 1996–97. Per Klingbjer, (ed.), NGSU Research report no. 105. 76 p.
- Tarfala Research Station Annual Report 1997–98. Per Klingbjer, (ed.), NGSU Research report no. 110. 50 p.
- Tarfala Research Station Annual Report 1998–99. Per Klingbjer, (ed.), NGSU Research report no. 111. 61 p.
- Tarfala Research Station Annual Report 1999–2000 and 2000–2001. Per Klingbjer, (ed.), INK Report no. 1. 92 p.
- Tarfala Research Station Annual Report 2001–2002. Per Klingbjer, (ed.), INK Report no. 2. XX p.

### Publications in popular science

- Ahlmann, H. W:son, 1952. *Kebnekajse. Svenska turistföreningens årsskrift 1952: 265–288*.
- Holmlund, P., 1986. *Glaciärforskning i Tarfala. Till Fjälls, Svenska Fjällklubbens årsskrift, 58: 48–53*.  
—1991. *Valter Schytt och Tarfalastationen., Till Fjälls, Svenska Fjällklubbens årsskrift, 61–62: 48–53*.

- 1992. Glaciärer och forskare i Tarfala under ett halvt sekel. *Geologklubben vid Stockholms universitet, Geologklubben 100 år*, 61–67.
- 1995. Mikkaglaciären – dess liv, leverne och framtid. *Till Fjälls*, Svenska Fjällklubbens årsskrift 65–66: 12–27.
- 2000. Växthusvärme eller istidskyla *På resande fot. 23 forskare skriver om turism och upplevelser*. Etour, Sellins förlag. (ISBN 91–7055–253–3). 182–189.
- Holmlund, P. and Jansson, P., 2002. *Glaciological Research at Tarfala Research Station*. Stockholm University. (ISBN 91–7540–141–X). 48 p.
- Holmlund, P., and Schytt, A., 1989. *Glaciärer – En kunskapsvandring på Storglaciären, Kebnekaise*. Småskrift nr. 1 Ajtte museum. Jokkmokk 1989. 32 p.
- 1995. Vi går mot en ny istid. *Populär vetenskap* 4: 34–39.
- 1995. Tarfala –Tarfalaverksamheten 50 år. En jubileumsskrift med anledning av Tarfalaverksamhetens 50-årsjubileum. Stockholms universitet. 48 p.
- Lundqvist, G., 1944. *De svenska fjällens natur*. STF:s förlag, Stockholm 1944. 440 p.
- 1948. *De svenska fjällens natur (2:nd edition)*. STF:s förlag, Stockholm 1948. 502 p.
- Karlén, W., och Holm, F., 1989. Glaciärerna smälter - istiden kommer ändå. *Forskning och framsteg* 1989 (4): 4–11.
- Klingbjer, P., 1998. Återställ Pårtteobservatoriet. *Fjället*, Svenska Fjällklubbens tidskrift 2:31–32.
- Mannerfelt, C. M:son., 1940. I Kebnekaise. En Naturhistorisk rundvandring. *Svenska turistföreningens årsskrift* 1940: 312–338.
- Rosquist, G. and Karlén, W., 1996. Värmeböljor och fimbulvintrar: klimatet de senaste 10 000 åren. Jordens klimat. *Naturvetenskapliga forskningsrådets årsbok* 1996, 97–105.
- Schytt, V., 1963. Glaciärernas liv. *Svenska turistföreningens årsskrift 1963*: 144–158.
- 1963. Lapplands glaciärer. *Natur i Lappland*. Uppsala. 158–171.
- 1973. Glaciologiska metoder i klimatforskningens tjänst. *Svensk Naturvetenskap* 1973. 14 p.
- 1981. Det föränderliga klimatet. *Här är vi hemma*. Rolf Edberg (ed.) Bra Böcker, 1982, 90–105.

### Web-based popular science

- Jansson, P., 2002. Glaciärer ([www.universeum.se/glaciär](http://www.universeum.se/glaciär)). Developed in collaboration with the Jason-Project of Universeum, Gothenburg..

If you know of any scientific publication that is not included in this bibliography, please send us the complete reference so that we can update the list. The list is published annually in the Tarfala Research Station Annual Report, available from the department of Physical Geography and Quaternary Geology, Stockholm University. The station also welcomes reprints of work relevant to the activities at the station to add to its library.